

Vincentaa
SCULPTURE ART



游乐设备

儿童游乐整体定制专家



E-MAIL:INFO@VINCENTAA.COM
E-MAIL:VINCENTAASCULPTURE@GMAIL.COM
WEBSITE:WWW.VINCENTAA.COM
MOBILE:+86 183-3313-5888/136-0331-1075
INSTAGRAM: @SCULPTURE_SUPPLIER.5



专业
创新
优质
高效

游乐设备

AMUSEMENT EQUIPMENT

儿童游乐整体定制专家



目录

Product Introduction / directory

非标系列	01-30
Non standard series	
PE板介绍	31-32
Introduction to PE board	
太空系列	33-38
Space series	
森林系列	39-44
Forest series	
大自然系列	45-48
Nature Series	
海滨小屋	48-56
Beach house	
魔法城堡	57-62
Magic Castle	
奇异乐源	63-68
Strange music source	
小花园系列	69-74
Small garden series	
奶酪系列	75-80
Cheese series	
小滑梯系列	81-100
Small slide series	
户外拓展	101-114
Outdoor expansion	
不锈钢系列	115-116
Stainless steel series	
展厅展示	117-118
Exhibition hall display	
产品案例	119-144
Product case	

翻斗天地

现在的教育中，让孩子自己尝试去动也是一大主题。本套随便设计理念亦是如此。跌宕起伏的走道，惊险刺激的爬网，白如象牙的高塔，环环相扣，运动游玩的同时也是对小孩子自我挑战的实践。在繁华喧嚣的城市中，尽显这一片充满孩童笑声的乐土。



非标系列 (一)

Non standard series

童年之家

每一个想象丰富的小朋友，都希望有座属于自己的房子。幻想着在属于自己的房子里无限畅游。有奇妙的旋转滑梯，有跌宕起伏的秋千，有造型各异的爬网等等。在自己的房子里释放自我，收获友情。乐远游乐围绕着快乐童年，一直在为小朋友创造属于他她们的“房子”

● 非标系列
NON STANDARD SERIES ●



● 非标系列
NON STANDARD SERIES ●



PAGE
003



PAGE
004

非标系列 (二)

Non standard series

一鹿生花

一鹿生花--动物园里 最高的是长颈鹿。它全身都布满了不规则的图形，长得像卡通人物一样可爱。小朋友们总是满怀好奇想去摸摸它的脑袋。小朋友的愿望都简单纯粹。它知道后也害羞的低下了头。让小朋友感受它的随和、亲切。



非标系列 (三)

Non standard series

动力小屋

人生就像坐“过山车”一样此起彼伏，听着会心有余悸，我们做什么事情都要敢于尝试，跌倒再爬起来，感受生活带来的酸甜苦辣，要保留着期待啊，期待明天的快乐哦。



非标系列 (四)

Non standard series

风车屋

童年就像一块还没有开垦的土地，你要带着孩子在上面播撒幸福的种子，并且让它们同孩子一起成长起来，为他的一生都带来幸福，风车系列产品是由变化万千的功能区组合而成，令游乐场、幼儿园、社区、公园、沙滩等公共场所能够在有限的空间里营造出无限快乐。我们设计是基于儿童游玩的需求，包括儿童与家长的互动、游乐与锻炼，达到冒险探索、强身健体、锻炼心智的目的。在这里儿童可以攀、爬、起、穿、滑，尽情的享受精彩童年。



非标系列 (五)

Non standard series

魔仙堡

缤纷的色彩与天马行空的设计，童趣的卡通元素融于其中，用烂漫童真的图案唤醒幼儿的活动力，结合幼儿的心理，打造了“魔仙堡系列”，幼儿用天真无邪的眼睛去发现生活中的美好用一颗炽热的童心去感受生命中的温暖他们对世界的向往对具有强大力量生物的崇拜渴望了解更多的神秘事物乐远户外玩具不仅还原生命色彩而且展示的更加鲜明、多变




非标系列 (六)

Non standard series

蚂蚁王国

蚂蚁，是生活中常见的小生物，随处可以见到它们的踪迹。对于成人而言，他们也许毫不起眼，但是在幼儿的眼里，蚂蚁王国充满了值得探索的奥秘，他们甚至为之着迷。孩子的生命力和潜力是无限的。在儿童时期，通过探索与体验，培养孩子独立思考能力，保护孩子的好奇心，它是独立思考的基础。多创造思考的情景，这是游乐设施所具备的功能。



非标系列 (七)

Non standard series

熊猫乐园

自然启示，生活明朗，万物可爱

穿过这片静谧的森林，让我们走进小熊猫的梦里。在那里，有许多可爱的小动物，他们都是小熊猫的好朋友，有抱着坚果来串去的松鼠先生，有在鲜花丛中翩翩起舞的蝴蝶公主，还有跟小熊猫嬉戏打闹的小朋友。阳光洒在小朋友稚嫩的脸颊，他们也会发生更多有趣美好的事情吧。该系列的设计灵感来源于自然的启示，以最亲近的方式接近自然界最可爱的生物。



非标系列 (八)

Non standard series

星际迷航

勇踏前人未至之境

思维是地球上最美的花朵，而探索精神是其中最灿烂的一支。明月高悬，星星对我眨眼睛，我经受不住这美丽的太空的诱惑，开始了大胆的幻想。在宇宙的中心，有一个故事星球，它远远的看去就像一个透明的大冰球，许多彩色的故事就冷藏在这个星球上的冰层里。



非标系列

NON STANDARD SERIES

非标系列

NON STANDARD SERIES



PAGE
017



PAGE
018

非标系列
(九)

Non standard series

太空探索

满天美丽闪耀的小星星，虽然不如太阳那样辉煌，也不如月亮那样清澈，但它们把梦幻般的光洒到人间，把大地变成了一个奇异的世界，诱发着小朋友们探索太空的期望。乘着气势辉煌的火箭（神舟未来号）奔向浩瀚无垠的宇宙，壮美而神秘的未知世界，激发了孩子无尽的想象和求知欲。

太空探索

满天美丽闪耀的小星星，虽然不如太阳那样辉煌，也不如月亮那样清澈，但它们把梦幻般的光洒到人间，把大地变成了一个奇异的世界，诱发着小朋友们探索太空的期望。乘着气势辉煌的火箭（神舟未来号）奔向浩瀚无垠的宇宙，壮美而神秘的未知世界，激发了孩子无尽的想象和求知欲。

百花齐放

你看，是花的海洋，一点点微风轻抚，似乎不敢惊扰那些粉嫩的花儿，在烈日阳光沐浴下，它们好像和我们在打招呼，且慢慢自由的开放着。整体赋予亲近自然，热爱自然，热爱生命的蕴意。在儿童时期，通过探索与体验，激发小朋友们勇敢、智慧，培养小朋友独立思考能力，保护小朋友们的好奇心，这是游乐设施所需要的具备功能。



非标系列 (十二)

Non standard series

彩虹廊桥

彩虹的缤纷色彩，由于特定的出现方式 让小朋友们对其感兴趣。可爱的云朵 与其变幻莫测的造型，深受小朋友们喜爱。我们将其结合在一起，如置身于云海之间，行于虹之间，带来不同感受。



非标系列 (十三)

Non standard series



科技熊


科技是打开人类智慧宝库的钥匙，那些伟大的科学家就是这些钥匙的拥有者。触摸玩具尖端，感受科技力量，等于孩子也得到了一把钥匙，打开了世界的大门，也打开了孩子的头脑，丰富他们的想象增添童年乐趣。点亮他们的双眼，让他们站在巨人的肩膀上眺望世界。

非标系列

NON STANDARD SERIES

非标系列

NON STANDARD SERIES



非标系列 (十四)

Non standard series

兔子月亮

孩童的烂漫，是童真。温柔的小兔姐姐与漂亮的月亮妹妹是好朋友，它们在一起生活、玩耍，就如同日常生活中的小朋友一样，形影不离。游乐设备的初衷，是带给小孩子们欢乐，提供他们嬉戏的场所。我们游乐人赋予它们的使命，便是陪伴孩童们快乐地健康成长，与家长们一起，守护着那抹童真



非标系列 (十五)

Non standard series

PE板

MANUFACTOR

SECURITY 食品级安全保障

高品质·高科技·高性能的户外产品

特性

PE板具有优良的耐大多数生活和工业用化学品的特性。某些种类的化学品会产生化学腐蚀，例如腐蚀性氧化剂（浓硝酸），芳香烃（二甲苯）和卤化烃（四氯化碳）。该聚合物不吸湿并具有好的防水蒸汽性，可用于包装用途。HDPE具有很好的电性能，特别是绝缘介电强度高，使其很适用于电线电缆。中到高分子量等级具有极好的抗冲击性，在常温甚至在-40F低温度下均如此。各种等级HDPE的独有特性是四种基本变量的适当结合：密度、分子量、分子量分布和添加剂。不同的催化剂被用于生产定制特殊性能聚合物。这些变量相结合生产出不同用途的HDPE品级；在性能上达到最佳的平衡。具有良好的化学稳定性，可以抵抗大部份酸、碱、有机溶液以及热水的侵蚀。电气绝缘性好。

性能

具有韧性高，抗拉，耐腐蚀，耐低温，耐磨性能好等特点。在化工，服装，包装，食品等领域有广泛应用。可进行填充，阻燃，改性，表面可压花，磨砂。LDPE(高压低密聚乙烯)性质较柔软，机械强度较低，熔点亦较低，适于制薄膜和电缆绝缘层。HDPE(低压高密聚乙烯)刚性较大，机械强度较高，熔点亦较高。适合制中空制品，注塑制品等,广泛用于制造冰球场墙板。厚度：1-350mm颜色本色,白色,蓝色,黄色,灰色,黑色,绿色等。

HDPE板、棒

生产的PE板材均采用进口设备和独特消除内应力技术生产，而且采用全新PE原料，不添加任何回收料。经过多年不懈创新改进，彻底杜绝了板材变形、气泡、容易断裂等问题。

性质

HDPE板（高密度聚乙烯板）熔点约为130℃，相对密度为0.941~0.960。它具有良好的耐热性和耐寒性，化学稳定性好，还具有较高的刚性和韧性，机械强度高。介电性能，耐环境应力开裂性亦较好。熔化温度220~260C。对于分子较大的材料，建议熔化温度范围在200~250C之间。

中文名：聚乙烯

英文名：POLYETHYLENE

英文名2：PE

硬度

加PP虽然能增加点PE板强度，但会导致其他性能降低很快。可以填充滑石粉，滑石粉形状是片状，所以具有更高的刚度，尺寸稳定性和耐热温度，增温效果好。填充滑石粉后，产品容易出现斑点，解决办法有：
1. 填充比例不要太高，在20%左右。
2. 对滑石粉做改性处理，加入钛酸酯类偶联剂、相容剂，如对应树脂的PP或者PE的酸杆接枝物，可以大大提高填充量和保证，HDPE与填料的更好的混容性。同时合适的润滑剂与加工助剂也是非常重要的。



成分

吸塑PE塑料板配方主要成分：LDPE、ZnSt、HDPE、AC发泡剂、DCP、CaCO3。

LDPE：低密度聚乙烯，吸塑PE板的主要成分，具有单体聚乙烯无毒、易燃、易氧化的特点，不易吸水、导电性能好、绝缘性好，常用作电线电缆、塑料薄膜等软性塑料。

ZnSt：硬脂酸锌，金属皂类润滑剂，聚烯烃类塑料多采用硬脂酸盐类润滑剂，因为它具有原料易得，成本低，无毒无污染等特点。一般而言，硬脂酸锌中锌含量决定润滑剂能不能很好的分散于塑料之中，越纯越饱和的硬脂酸锌越耐温，也越容易分散。

HDPE：高密度聚乙烯，具有和低密度聚乙烯树脂相类似的性能。

AC发泡剂：偶氮二甲酰胺，发泡剂的发泡效果是由发气量决定的，AC发泡剂性能稳定、绿色环保，原材料价格便宜，被广泛应用于各种聚烯烃类制品如拖鞋、皮革、隔音材料等方面。要将AC发泡剂分解需要较高的温度，而高温会导致塑料制品被降解，影响制品性能。

DCP：过氧化二异丙苯，交联剂，聚烯烃类聚合的引发剂，DCP可以使橡胶塑料结构发生变化，使得PE板更加耐高温、耐磨损、耐氧化。

CaCO3：最常用的的塑料填充料，有轻钙和重钙之分，轻钙竞争激烈发展迅速，但是轻钙提供给企业的都是凝聚体，直接应用很难分散于塑料制品中。

用途

医用器具部件,密封件,切割板,滑动型材,广泛用于化工，机械、化工，电力，服装、包装、食品等行业。广泛用于燃气输送、给水、排污、农业灌溉、矿山细颗粒固体输送，以及油田、化工和邮电通讯等领域，特别在燃气输送上得到了普遍的应用。

PE保温板采用聚乙烯塑胶粒发泡而成，具有非常卓越的吸声隔单，抗水气渗透能力和截止气体流通能力，吸水率低，导热系数低。橡塑海绵保温材料是采用性能优异的丁腈橡胶、聚氯乙烯为主要原料，配以各种优质辅助材料，以特殊工艺发泡而成的软质高档保温节能材料，绝不含氟氯烃。

本品具有柔软、耐屈绕、耐寒、耐热、阻燃、防水、导热系数低、减震、吸音等优良性能。可广泛用于中央空调、建筑、化工、医药、轻纺等行业。

饮用水污水管道、热水管道、运输容器、泵和阀门部件、医用器具部件、密封件、切割板、滑动型材。广泛用于化工、机械、电力、服装、包装、食品等行业。

注意

pe板材在生产制造时需要注意原料的选择和施工工艺。pe板材的制造原料属于惰性分子原料，原料的流动性差，这一点多少给pe板材的制造带来了一点小麻烦，所以pe板材的制造原料的选择很重要。为改变原材料流动性差造成的冲模困难，气态物增加的问题，在选择原材料时要选择加入了一些润滑剂的原料，润滑剂的选择主要有硬脂酸和盐类。这样生产出的pe板材材质均匀，没有气泡。在施工手法上可以通过改善施工工艺来得到更加优质的pe板材。主要的改善工艺方法有，把握好进料的量的问题，事前计量好需要的料的多少，不要多料或缺料，对于pe板应调较高的料量。最好采用高压快速的注射方法来生产，这样可以得到较好的板材。

PE BOARD

FOOD GRADE SECURITY

HIGH QUALITY, HIGH TECHNOLOGY AND HIGH PERFORMANCE OUTDOOR PRODUCTS

FEATURES

PE panels have excellent resistance to most household and industrial chemicals. Some species
Chemicals such as corrosive oxidants (concentrated nitric acid) and aromatic hydrocarbons can cause chemical damage Xylene and halogenated hydrocarbons (carbon tetrachloride). The polymer is not hygroscopic and has good water resistance Steam, can be used for packaging purposes. HDPE has very good electrical properties, especially insulation High electrical strength makes it suitable for wire and cable. Medium to high molecular weight classes have excellent resistance Impact, at room temperature and even at -40F. All grades of HDPE unique Characteristics are the proper combination of four basic variables: density, molecular weight, molecular weight distribution, and addition Agent. Different catalysts are used to produce custom-made polymers with specific properties. These variables are combined to produce HDPE grades for different purposes; Achieve the best balance in performance. Has a good Chemical stability, can resist most acid, alkali, organic solution and hot water erosion. Electrical Insulation is good.

PERFORMANCE

It has the characteristics of high toughness, tensile resistance, corrosion resistance, low temperature resistance and good wear resistance. In turn It is widely used in industry, clothing, packaging, food and other fields. Can be filled, flame retardant, change The surface can be embossed and frosted. LDPE(high pressure low density polyethylene) soft properties, mechanical strong Low degree, low melting point, suitable for film and cable insulation layer. HDPE(low pressure and high density poly Ethylene) has higher rigidity, mechanical strength and melting point. Suitable for hollow products and Injection molding Products, widely used in the manufacture of hockey rink wall board. Thickness: 1-350mm Color: natural, white, blue Color, yellow, gray, black, green, etc.

HDPE plate, bar

Production of PE plate are imported equipment and unique elimination of Internal stress technology production, and Using new PE raw materials, do not add any recycled materials. After years of unremitting innovation and Improvement, cut to the bottom Eliminate the plate deformation, bubbles, easy to fracture and other problems.

The nature of the

HDPE board (high density polyethylene board) melting point is about 130℃, the relative density is 0.941 ~ 0.960. It has good heat resistance and cold resistance, good chemical stability, but also with High rigidity and toughness, good mechanical strength. Dielectric properties, environmental stress cracking resistance is better. Melting temperature 220~260C. For materials with larger molecules, the melting temperature norm is recommended It ranges from 200 c to 250C.

Chinese name: polyethylene

English name: tuition

English name: PE

hardness

Although PP can increase the strength of PE board, but will lead to other performance reduction quickly. It can be filled with talc, which is flaky in shape, so it has higher stiffness, ruler Inch stability and heat resistance temperature, enhance the effect of good. After filling talc, the product is prone to spots. The solutions are as follows:

1. The filling ratio should not be too high, about 20%.
2. Modify talc powder and add titanate coupling agent and compatibilizer, as corresponding Resin PP or PE acid rod graft, can greatly improve the filling amount and guarantee, HDPE and packing better mixing capacity. At the same time appropriate lubricants and processing AIDS are also wrong Often important.



composition

Blister PE plastic board formula main Ingredients: LDPE, ZnSt, HDPE, AC foam Agent, DCP, CaCO3.
LDPE: low density polyethylene, the main component of blister PE board, with monomer polyethylene Non-toxic, flammable, easy to oxidize characteristics, not easy water absorption, good electrical conductivity, good insulation, often Used for wire and cable, plastic film and other soft plastics.
ZnSt: Zinc stearate, metal soap lubricant, polyolefin plastics mostly use stearic acid Salt lubricant, because it has the characteristics of easy access to raw materials, low cost, non-toxic and pollution-free. One Generally speaking, the zinc content of zinc stearate determines whether the lubricant can be well dispersed in plastics The more pure and saturated zinc stearate is, the more resistant it is to temperature and the easier it disperses.

HDPE: High density polyethylene, similar to low density polyethylene resin Can.

AC foaming agent: azodicarbonamide, foaming agent foaming effect is determined by the gas volume AC foaming agent, stable performance, green environmental protection, cheap raw materials, is widely used in All kinds of polyolefin products such as slippers, leather, sound insulation materials and so on. The AC foaming agent should be separated Solution requires a higher temperature, and high temperature will lead to degradation of plastic products, affecting the performance of products.

DCP: diisopropylbenzene peroxide, crosslinking agent, initiator of polyolefin polymerization, DCP can make the rubber plastic structure change, make PE plate more resistant to high temperature, wear resistance, Resistance to oxidation.

CaCO3: the most commonly used plastic filler, there are light calcium and heavy calcium, light calcium competition Intense development is rapid, but light calcium to provide enterprises are condensed, direct application is difficult to divide Scattered in plastic products.

USE

Medical appliance parts, seals, cutting plates, sliding profiles. Widely used in chemical industry, machinery, chemical Industrial, electric power, clothing, packaging, food and other Industries. Widely used in gas transportation, water supply and drainage Sewage, agricultural irrigation, mining fine particle solid transportation, as well as oil field, chemical Industry and post and telecommunications, etc In the field, especially in the gas transmission has been widely used.

PE insulation board is made of polyethylene plastic granule foaming, with excellent sound absorption insulation Single, water permeability resistance and cut-off gas flow ability, low water absorption, low thermal conductivity. Rubber and plastic sponge insulation material is the use of excellent performance of nitrile rubber, polyvinyl chloride as the main Raw materials, with a variety of high quality auxiliary materials, with special technology foaming soft high-grade insulation Energy saving materials, no chlorofluorocarbons.

This product has soft, flexural winding, cold resistance, heat resistance, flame retardant, waterproof, thermal conductivity Low, shock absorption, sound absorption and other excellent performance. It can be widely used In central air conditioning, construction, chemical industry and medicine Pharmaceutical, textile and other Industries.

Drinking water sewage pipes, hot water pipes, transport containers, pump and valve parts, medical devices With parts, seals, cutting plates, sliding profiles. Widely used in chemical Industry, machinery, electric power, Clothing, packaging, food and other industries.

Pay attention to

PE sheet in the production and manufacture of the need to pay attention to the selection of raw materials and construction technology.



PE plate manufacturing raw materials belong to inert molecular raw materials, the fluidity of raw materials is poor, this point How much to PE plate manufacturing brought a little trouble, so THE selection of PE plate manufacturing raw materials Choice is important. In order to change the fluidity of raw materials caused by the difficulty of stamping, gaseous Increase in the selection of raw materials to choose to add some lubricant raw materials, lubricant selection Mainly stearic acid and salt. In this way, the PE sheet material is uniform and there is no bubble. In the construction method can be improved by improving the construction technology to get more high-quality PE plate.

The main method to improve the process is to grasp the quantity of the feed, and to measure the need in advance The amount of material, do not have more material or lack of material, for PE board should be adjusted higher amount of material. It is best to use High Pressure fast injection method to produce, so that you can get a better plate.

SPACE SERIES

太空系列

太空给人的第一感觉就是神秘与壮观的。我们的设计初衷亦是如此。当小朋友们看到游乐设备的第一眼，就会被它深深所吸引。在他们上设备游玩时，犹如在浩瀚的太空中畅游一般。




LY-TK-001

▣ : 1460*1430*425cm


LY-TK-002

尺寸 : 1275*535*525cm



LY-TK-003

尺寸 : 1060*1330*425cm



LY-TK-004

尺寸 : 1525*1320*425cm



LY-TK-005

尺寸 : 1220*605*400cm

LY-TK-006

尺寸 : 575*505*355cm



LY-TK-007

尺寸 : 920*1090*400cm



LY-TK-008

尺寸 : 710*870*410cm

FOREST SERIES

森林系列

在我们赖以生存的地球上森林是不可或缺的组成部分。绿叶衬托着大树，华而美，让小朋友们一眼就能对其感兴趣。他们可结伴在设备上玩耍，如同自由的在森林中奔跑一样。



LY-SL-001

尺寸 : 1325*1190*425cm



LY-SL-002

尺寸 : 1225*620*425cm



LY-SL-004

尺寸 : 675*550*380cm



LY-SL-003

尺寸 : 850*510*425cm



LY-SL-005

尺寸 : 860*570*425cm





LY-SL-006

尺寸 : 600*280*380cm



LY-SL-007

尺寸 : 560*375*430cm



LY-SL-008

尺寸 : 905*765*460cm



LY-SL-009

尺寸 : 1095*905*460cm



NATURE SERIES

大自然系列

我们所处的大自然，它有四个助手——春、夏、秋、冬。它们是大自然的形象设计师。我们根据它们的特色，赋予了游乐设备大自然的气息。小朋友们依据颜色的不同，便可知自己正身处于哪个季节游玩。




LY-DZR-001

尺寸 : 935*725*400cm



LY-DZR-002

尺寸 : 1300*805*460cm





LY-SL-003

📏 : 740*290*370cm



LY-SL-005

📏 : 765*490*370cm



LY-SL-004

📏 : 710*515*400cm



LY-SL-006

📏 : 885*690*400cm

BEACH HOUSE

海滨小屋

孩子脑海里面的大海,是一个神奇而且美如画的地方。海边的木屋也是孩子们最好的休息地,每个小屋都有着孩子的童年的颜色。希望我们这款带着大海的色彩搭建的小屋,能给孩子们更多童年的欢乐



LY-HBXW-001

📏 : 1020*1190*380cm(平台116*116cm)



LY-HBXW-002

📏 : 1020*1170*380cm (平台116*116cm)



LY-HBXW-003

□ : 420*325*270cm
(平台80*80cm)





LY-HBXW-005

□ : 185*440*270cm (平台80*80cm)



LY-HBXW-004

□ : 295*430*300cm (平台80*80cm)



LY-HBXW-006

□ : 350*180*210cm (平台80*80cm)





LY-HBXW-007

▣ : 300*365*300cm
(平台80*80cm)




LY-HBXW-009

▣ : 490*405*260cm
(平台80*80cm)




LY-HBXW-008

▣ : 360*240*230cm
(平台80*80cm)



LY-HBXW-010

▣ : 175*250*270cm (平台80*80cm)




LY-HBXW-011

▣ : 175*285*300cm (平台80*80cm)




LY-HBXW-012

▣ : 295*115*270cm (平台80*80cm)



LY-HBXW-013

▣ : 560*440*350cm
(平台116*116cm)



LY-HBXW-014

▣ : 325*270*290cm
(平台116*116cm)



MAGIC CASTLE

魔法城堡

每个孩子都幻想着自己是王子或者公主，拥有自己的一座城堡。孩子理直气壮的相信童话和梦想，我们为什么不去守护？魔法城堡想给每个孩子一个城堡世界，让孩子们带着童话般的梦长大。

LY-MFCB-001

：2350*1800*820cm



LY-MFCB-002

：1725*1340*490cm



LY-MFCB-003

☐ : 1930*1180*820cm



LY-MFCB-004

☐ : 535*480*340cm



LY-MFCB-005

☐ : 900*590*490cm





LY-MFCB-006

尺寸 : 780*600*520cm



LY-MFCB-008

尺寸 : 260*260*290cm



LY-MFCB-007

尺寸 : 805*550*550cm



LY-PC-009

尺寸 : 365*175*320cm




STRANGE MUSIC SOURCE

奇异乐源

对孩子来说，生活就是一所学校，一草一木都可以成为研究探索的对象。他们有这无限的想象力和探索力。孩子一天天在成长，爸爸妈妈要做的是鼓励孩子探索世界，感受世界的奇妙。我们做着不同的情景模拟滑梯，给孩子们不同的感受乐趣。让孩子们有着更缤纷的童年

LY-QYLY-001

尺寸：335*405*340cm（平台80*80cm）



LY-QYLY-002

尺寸：355*520*260cm




LY-QYLY-003

▣ : 180*340*340cm



LY-QYLY-005

▣ : 480*230*240cm



LY-QYLY-004

▣ : 300*270*340cm



LY-QYLY-006

▣ : 400*400*340cm





LY-QYLY-007

☐ : 310*350*270cm(平台80*80cm)



LY-QYLY-008

☐ : 460*230*110cm



LY-QYLY-009

☐ : 165*110*120cm



LY-QYLY-010

☐ : 165*110*120cm



LY-QYLY-011

☐ : 165*110*120cm



SMALL GARDEN
SERIES

小花园系列
(平台116*116cm)

童话天国花园里的每朵花都是最甜的点心，每朵花蕊都是最甜的酒。而我们的花园游乐设备承载着千万祖国花朵的欢声笑语，清澈的感受自然带来的乐趣



LY-XHY-001

尺寸 : 470*415*280cm



LY-XHY-002

尺寸 : 375*140*275cm



LY-XHY-003

尺寸 : 135*155*220cm





LY-XHY-004

📏 : 310*200*280cm



LY-XHY-005

📏 : 480*415*280cm



LY-XHY-006

📏 : 405*320*280cm





LY-XHY-007

■ : 410*325*280cm



LY-XHY-008

■ : 475*520*280cm




CHEESE SERIES

奶酪系列

奶酪是一种含高钙且能增强免疫的美食，主体定位“奶酪系列”，设计师通过奶酪的“特性”作为设计方向，奶酪造型作为设计核心。在原有的奶酪造型上，增加了攀爬网，钻洞，滑梯等项目，增加孩子们的体能运动，在给孩子们带来快乐的同时，也能增强孩子们自身的免疫功能


LY-NL-001


：1040*1545*495cm



LY-NL-002




：290*265*250cm






LY-NL-003

☐ : 1080*785*390cm






LY-NL-004

☐ : 1195*915*495cm




LY-NL-005

☐ : 1045*855*345cm





LY-NL-006

尺寸 : 1370*1100*495cm




LY-NL-008

尺寸 : 415*605*295cm




LY-NL-009

尺寸 : 405*295*295cm



LY-NL-007

尺寸 : 930*685*345cm



SMALL SLIDE SERIES

小滑梯系列



直升机滑梯
LY-XHT-001

尺寸 : 910*500*380cm



巧克力屋滑梯
LY-XHT-002

尺寸 : 725*450*360cm



火箭滑梯
LY-XHT-003

尺寸 : 660*600*520cm





丛林冒险A滑梯

LY-XHT-004


尺寸 : 270*365*320cm



丛林冒险B滑梯

LY-XHT-006

尺寸 : 740*565*320cm



丛林冒险C滑梯

LY-XHT-005


尺寸 : 830*760*320cm



丛林冒险D滑梯

LY-XHT-007

尺寸 : 420*180*300cm





小火箭

LY-XHT-008


尺寸 : 460*370*300cm



海底世界

LY-XHT-011


尺寸 : 480*365*280cm



童年小船

LY-XHT-009

尺寸 : 540*370*300cm



夏日海洋滑梯


LY-XHT-012

尺寸 : 550*450*400cm

小鸡乐园

LY-XHT-010

尺寸 : 580*370*310cm



海豚之家 (沙水盘)

LY-XHT-013

尺寸 : 230*115*400cm





河马宠舍滑梯

LY-XHT-014

尺寸 : 550*450*400cm



宠物滑梯

LY-XHT-016

尺寸 : 580*370*310cm

暗夜火箭

LY-XHT-017


尺寸 : 690*470*350cm



夏威夷趣味滑梯

LY-XHT-015


尺寸 : 460*440*300cm



假日轮船

LY-XHT-018

尺寸 : 580*190*270cm





快乐青蛙
LY-XHT-019

尺寸 : 600*240*340cm

小小空间站
LY-XHT-020

尺寸 : 595*235*380cm



功夫龟
LY-XHT-022

尺寸 : 240*60*70cm



时间小屋 (情景教学)
LY-XHT-023

尺寸 : 250*120*110cm

托马斯车头 (情景教学)
LY-XHT-024

尺寸 : 180*95*150cm



简易体能组合1
LY-XHT-025

尺寸 : 675*455*340cm



警车珀利
LY-XHT-021

尺寸 : 345*300*235cm





潜水艇滑梯

LY-XHT-026

尺寸 : 920*880*440cm



消防车滑梯

LY-XHT-027


尺寸 : 350*150*300cm



功能攀爬滑梯

LY-XHT-028

尺寸 : 550*270*260cm



简约滑梯

LY-XHT-029

尺寸 : 650*350*245cm



鲸鱼乐园

LY-XHT-030

尺寸 : 870*700*425cm



小草乐园

LY-XHT-031


尺寸 : 460*190*280cm



趣味毛毛虫

LY-XHT-032

尺寸 : 695*72*150cm



滑翔之翼

LY-XHT-033

尺寸 : 1020*790*450cm



欧伦城堡

LY-XHT-034

尺寸 : 810*515*420cm



火箭A滑梯

LY-XHT-035

尺寸 : 560*440*535cm



多彩小屋

LY-XHT-036

尺寸 : 600*370*295cm





益智迷宫

LY-XHT-037

尺寸 : 530*415*290cm



海马滑梯

LY-XHT-038

尺寸 : 330*65*195cm



步步高

LY-XHT-039

尺寸 : 220*210cm



趣味滑滑梯

LY-XHT-040

尺寸 : 290*60*165cm



蜗牛滑梯

LY-XHT-041

尺寸 : 465*160*255cm

老爷摇摆车

LY-XHT-042

尺寸 : 360*150*180cm



小小火车头 (情景教学)

LY-XHT-043


尺寸 : 280*120*120cm



萌趣小桥 (情景教学)

LY-XHT-044

尺寸 : 240*120*150cm



吉普情景车

LY-XHT-045


尺寸 : 300*120*150cm



马戏屋益智板 (情景教学)

LY-XHT-046


尺寸 : 160*100*240cm



未来益智板 (情景教学)

LY-XHT-047



尺寸 : 160*100*240cm



趣味机场情景 (情景教学)

LY-XHT-048


尺寸 : 500*300*240cm



儿童小推车 (情景教学)

LY-XHT-049

尺寸 : 120*100*120cm



缤纷攀爬小屋

LY-XHT-050

尺寸 : 200*120*100cm

蓝色摇摆小卡车

LY-XHT-051

尺寸 : 220*125*150cm



黄色摇摆小货车

LY-XHT-053

尺寸 : 225*135*135cm



消防救援摇摆车

LY-XHT-054

尺寸 : 220*130*135cm



海上摇摆冲锋艇

LY-XHT-055

尺寸 : 340*130*130cm



潜水摇摆艇

LY-XHT-052

尺寸 : 220*150*150cm

Outdoor
development

户外拓展 攀岩系列



Size:250×100×230cm

LY-PY-001

Size: 250*100*230cm



Size:380×100×230cm

LY-PY-002

Size: 380*100*230cm



Size:250×230×230cm

LY-PY-003

Size: 250*230*230cm



Size:250×100×230cm

LY-PY-004

Size: 250*100*230cm



Size:610×60×250cm

LY-PY-005

Size: 610*60*250cm



Size:370×20×240cm

LY-PY-006


Size: 370*20*240cm



Size:240×70×150cm

LY-PY-007

Size: 240*70*150cm



Size:180×180×130cm

LY-PY-008

Size: 180*180*130cm



Outdoor
development


户外拓展

体能系列（纯不锈钢）




LY-TNXL-001

尺寸 : 900*630*350cm




Outdoor
development

户外拓展 绳网系列




LY-SW-009

▢ : 1000*600*200cm




LY-SW-010

▣ : 520*520*447cm




LY-SW-011

▣ : 530*530*500cm



LY-SW-012

▣ : 400*400*320cm



LY-SW-013

▣ : 520*520*500cm




LY-SW-014

📏 : 660*380*320cm



LY-SW-015

📏 : 410*250*220cm




LY-SW-016

📏 : 560*560*240cm



LY-SW-017

📏 : 212*241*260cm





LY-SW-018

📏 : 500*450*150cm


LY-SW-019

📏 : 275*255*210cm




LY-SW-020

📏 : 535*275*210cm




LY-SW-021

📏 : 485*485*210cm




LY-SW-022

📏 : 400*360*250cm



LY-SW-023

尺寸 : 680*410*250cm





LY-SW-026

尺寸 : 250*250*200cm

LY-SW-024

尺寸 : 680*680*260cm



LY-SW-025

尺寸 : 460*160*210cm



LY-SW-027

尺寸 : 200*200*255cm

STAINLESS STEEL
SLIDE




不锈钢滑梯

● 不锈钢滑梯 STAINLESS STEEL SLIDE ●




LY-BXGHT-001

平台高度可定制



● 不锈钢滑梯 STAINLESS STEEL SLIDE ●

1F展厅




Export quality 出口品质



REAL PICTURES

实物图

福建三明康养集团



REAL PICTURES

实物图

河北省广平县南阳堡镇后南阳堡村



REAL PICTURES

实物图

楠盛集团



REAL PICTURES

实物图


绿城长汀云庐



REAL PICTURES

实物图

武汉绿地美湖



REAL PICTURES

实物图



广东湛赤坎区体育公园江



REAL PICTURES

实物图

杭州实验幼



REAL PICTURES

实物图


青岛市汇豪观邸



REAL PICTURES

实物图


武昌紫阳湖公园



REAL PICTURES

实物图

吉林长春



REAL PICTURES

实物图

江苏南京幼儿园



REAL PICTURES

实物图

武汉中建大公馆



色卡

铁件色卡

 红色高光 (JG095Z)	 墨绿高光 (JK0061)	 黑色砂纹 (JN3021)
 黄色高光 (JE060Z)	 天蓝高光 (JJ069Z)	 白色高光 (JB048Z)
 桔红高光 (JF037Z)	 蓝色高光 (MJ010Z)	 银灰金属 (JW077Z)
 果绿高光 (JS030Z)	 咖啡高光 (JM059Z)	 米色高光 (JD038Z)

6mm 单、双色PE板色卡

 果绿 PE06-DS-001	 红色 PE06-DS-012	 黑色 PE06-DS-018
 草绿 PE06-DS-002	 橙色 PE06-DS-013	 白色 PE06-DS-019
 黄色 PE06-DS-004	 咖啡 PE06-DS-014	 橙黑 PE06-SS-016
 深蓝 PE06-DS-007	 灰色 PE06-DS-016	
 天蓝 PE06-DS-008	 米色 PE06-DS-017	

15mm 单色PE板色卡

 果绿 PE15-DS-001	 深蓝 PE15-DS-007	 橙色 PE15-DS-013	 黑色 PE15-DS-019
 草绿 PE15-DS-002	 天蓝 PE15-DS-008	 咖啡 PE15-DS-014	 白色 PE15-DS-020
 墨绿 PE15-DS-003	 孔雀蓝 PE15-DS-009	 紫色 PE15-DS-015	 马卡粉 PE15-DS-021
 黄色 PE15-DS-004	 浅卡蓝 PE15-DS-010	 蓝紫 PE15-DS-016	
 姜黄 PE15-DS-005	 牛津蓝 PE15-DS-011	 灰色 PE15-DS-017	
 土黄色 PE15-DS-006	 红色 PE15-DS-012	 米色 PE15-DS-018	

15mm 双色PE板色卡

 果绿黑 PE15-SS-001	 红黑 PE15-SS-013	 白黑 PE15-SS-023
 草绿黑 PE15-SS-003	 橙黑 PE15-SS-016	 咖啡白 PE15-SS-024
 黄黑 PE15-SS-005	 灰黑 PE15-SS-018	
 深蓝黑 PE15-SS-008	 米黑 PE15-SS-020	

19mm 双色PE板色卡

 果绿黑 PE19-SS-001	 黄咖啡 PE19-SS-007	 红黑 PE19-SS-013	 灰红 PE19-SS-019
 果绿白 PE19-SS-002	 深蓝黑 PE19-SS-008	 红白 PE19-SS-014	 米黑 PE19-SS-020
 草绿黑 PE19-SS-003	 深蓝白 PE19-SS-009	 红黄 PE19-SS-015	 米果绿 PE19-SS-021
 草绿黄 PE19-SS-004	 深蓝黄 PE19-SS-010	 橙黑 PE19-SS-016	 黑白 PE19-SS-022
 黄黑 PE19-SS-005	 天蓝黑 PE19-SS-011	 咖啡米 PE19-SS-017	 白黑 PE19-SS-023
 黄红 PE19-SS-006	 天蓝黄 PE19-SS-012	 灰黑 PE19-SS-018	